



RBWCD WCAG Report

Review Date: Mon Sept 30 2024 06:36:29 GMT-0600 (Mountain Daylight Time)

This product was tested using the Trusted Tester Section 508 Conformance Test method: Trusted Tester v.5.1.1.

The A11y Audit scans the product and outlines any A11y issues found.

A TTAD manually evaluates a sampling of pages to confirm the results are accurate and no further testing is need.

The responsibility for full and complete testing and compliance remains with the owner of the product.

Product Information

Product Name: Rio Blanco Water Conservancy District

Product Version: V2.0

Product Owner/Vendor: RBWCD

Product Type: Custom developed web page

Location: <https://rioblancowatercd.colorado.gov/>

Product Description: RBWCD website

Notes: A manual evaluation was conducted per WCAG 2.2 Requirements.

Tester's Information

Tester's First Name: Heather

Tester's Last Name: Welsh

Trusted Tester ID: TT-2311-03604

Company Name: Kaffeinated Kodemonkey

Tester's Email: kaffeinatedkodemonkey@gmail.com

Test Environment Information

Browser:

Browser Version:

Operating System: , Linux POP!os

Testing Method: Trusted Tester

Testing Method Version: v.5.1.1

Terms used in the Conformance Level

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG 2.x Level AAA.

Web Content Accessibility Guidelines (WCAG) Report

Criteria	Conformance Level	Standard/Guideline	Remarks and Explanations
1.1.1	Does Not Apply	Level A	1.3.1-programmatic-label. There are no forms on the site.
1.1.1	Supports	Level A	Not Required
1.2.1	Does Not Apply	Level A	1.2.1-audio-transcript-text. There is no transcript as the video only contains music with our words.
1.2.2	Does Not Apply	Level A	1.2.2-captions-equivalent. There is no synchronized media.
1.2.4	Does Not Apply	Level AA	1.2.4-captions-live-equivalent. There is no synchronized media.
1.2.5	Does Not Apply	Level AA	1.2.5-audio-description-equivalent. There is no synchronized media.
1.3.1	Supports	Level A	Not Required
1.3.1	Does Not Apply	Level A	1.3.1-table-identification. There are no data tables used within the site.
1.3.1	Supports	Level A	Not Required
1.3.2	Supports	Level A	Not Required
1.3.3	Does Not Apply	Level A	1.3.3-sensory-info. This site does not use sensory characteristics, such as shape, color, size, visual location, orientation, or sound alone to provide information.
1.4.1	Supports	Level A	Not Required
1.4.2	Does Not Apply	Level A	1.4.2-Audio-control. There is no audio content that plays automatically for more than 3 seconds.
1.4.3	Does Not Apply	Level AA	1.4.3-contrast. The only image relying upon text is the logo and that is the exception to the rule. The image has also been traded accordingly.
1.4.4	Supports	Level AA	Not Required
1.4.5	Supports	Level AA	Not Required
2.1.1	Supports	Level A	Not Required
2.1.2	Supports	Level A	Not Required
2.2.1	Does Not Apply	Level A	2.2.1-timing-adjustable. There are no time limits within the site.
2.2.2	Does Not Apply	Level A	2.2.2-Blinking-moving-scrolling. There is no moving, blinking or scrolling content within the site.
2.3.1	Does Not Apply	Level A	2.3.1-flashing. There is no flashing content within the site.
2.4.1	Supports	Level A	Not Required
2.4.2	Supports	Level A	Not Required

2.4.3	Supports	Level A	Not Required
2.4.4	Supports	Level A	Not Required
2.4.5	Supports	Level AA	Not Required
2.4.6	Does Not Apply	Level AA	2.4.6-label-descriptive. There are no forms on the site.
2.4.6	Supports	Level AA	Not Required
2.4.7	Supports	Level AA	Not Required
3.1.1	Supports	Level A	Not Required
3.1.2	Does Not Apply	Level A	3.1.2-part-language-defined. There is no other language for this site.
3.2.1	Supports	Level A	Not Required
3.2.2	Does Not Apply	Level A	3.2.2-on-input. There are no forms on the site.
3.2.3	Supports	Level AA	Not Required
3.2.4	Supports	Level AA	Not Required
3.3.1	Does Not Apply	Level A	3.3.1-error-identification. There are no forms on the site.
3.3.2	Does Not Apply	Level A	3.3.2-label-provided. There are no forms on the site.
3.3.3	Does Not Apply	Level AA	3.3.3-error-suggestion. There are no forms on the site.
3.3.4	Does Not Apply	Level AA	3.3.4-error-prevention. There are no forms on the site.
4.1.1	Not Evaluated	Level A	Not yet tested
4.1.2	Does Not Apply	Level A	4.1.2-change-notify-auto. There is no automatically updating content within the site.
4.1.2	Does Not Apply	Level A	4.1.2-change-notify-form. There are no forms on the site.
4.1.2	Does Not Apply	Level A	4.1.2-frame-title. There are not frames or iframes used in this site.
4.1.2	Supports	Level A	Not Required
503.4	Supports		Not Required
503.4.1	Supports		Not Required
503.4.2	Supports		Not Required
Requirements	Does Not Apply		Alt-version-conformant . There is only one version.

Disability Impact Score

The risk score is calculated by assigning one point to each disability type impacted by a failed Test ID. Disability groups with higher points have a higher risk of not being able to utilize the application. Projects should confer with the Certified Trusted Tester Accessibility Developer that performed the testing and their Component Section 508 Program Manager about remediating failed Test IDs before the application is released.

Risk Score: 0

Disability Group	Risk Score	Detailed Impacted Groups (with Score)
Vision	0	Without Vision (0), With Limited Vision (0), Without Perception of Color (0)
Hearing	0	Without Hearing (0), With Limited Hearing (0)
Cognitive	0	With Limited Language, Cognitive, and Learning Abilities (0), Without Speech (0)
Photosensitivity	0	Photosensitive Epilepsy / Photosensitive Seizure Disorders (0)
Mobility	0	With Limited Manipulation (0)